

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L1	3718	((220/4.03) or (220/5.21) or (220/8) or (220/23.4) or (220/608) or (220/669) or (224/404) or (220/500) or (206/514) or (206/518)).CCLS.	USPAT	2007/11/30 14:14
2	IS&R	L2	4174	((220/4.03) or (220/5.21) or (220/8) or (220/23.4) or (220/608) or (220/669) or (224/404) or (220/500) or (206/514) or (206/518)).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/11/30 14:14
3	BRS	L3	22211	tray and adjustable	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/11/30 14:14
4	BRS	L4	895	tray and adjustable and truck	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/11/30 14:14
5	BRS	L5	129	tray and adjustable and ribs and nesting	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/11/30 14:14

	Comments	Error Definition	Errors
1			
2			
3			
4			
5			

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	110	tray and adjustable and ribs and nest	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/11/30 14:15
7	BRS	L7	5130	truck and bed and adjustable	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/11/30 14:15
8	BRS	L8	309	truck and bed and adjustable and tray	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/11/30 14:15

	Comments	Error Definition	Errors
6			
7			
8			